




BOSTON
WHALER

380 OUTRAGE

SPECIFICATIONS

L.O.A.	38' (11.58 m)
Beam	11' 8" (3.56 m)
Draft	23.5" (0.6 m)
Weight (dry, no engine)	14,500 lbs (6,577 kg)
Weight (with engines, fuel and water)	19,715 lbs (8,942 kg)
Maximum Weight Capacity	5,214 lbs (2365 kg)
Swamped Capacity	5,000 lbs (2268 kg)
Persons Capacity	16
Maximum Horsepower	1,600 hp (1,193 kW)
Minimum Horsepower	900 hp (671 kW)
Maximum Engine Weight	2,800 lbs (1,270 kg)
Transom Height	30" (.8 m)
Transom Angle	15°
Deadrise at Transom	23°
Fuel Capacity	445 gallons (1684.5 L)
Waste Capacity	10 gallons (37.8 L)
Water Capacity	60 gallons (227 L)
Livewell Volume	60 gallons (227 L)(transom)
Bridge Clearance (with top)	9' 0" (2.7 m)
Bridge Clearance (with top & radar)	10' 4" (2.8 m)
Bridge Clearance (with upper station)	16' 4" (4.98 m)
European Certification	B



STANDARD EQUIPMENT

- All rails welded 316-L stainless steel
- All hardware 316-L stainless steel

DECK/COCKPIT

- 10" stainless steel pull-up cleats: bow (2), spring line (2), crosstie cleats at transom (2)
- 10" stainless steel cleats: stern cockpit with gunnel board hawse pipe (2), anchor locker (1)
- 29" interior freeboard
- Acrylic transom door with stainless steel latch
- Anchor – galvanized
- Anchor roller davit – stainless steel thru hull
- Bow eye – heavy duty polished stainless steel
- Chrome Boston Whaler logo
- Dive door – molded fiberglass boarding door on port side with removable stainless steel dive ladder with dedicated storage in transom seat
- Drink holders – stainless steel; (2) in bow, (2) in hawse pipes, (2) at helm, (2) at console lounge, (2) in cockpit couch armrests and (4) in couch flip table
- Full coaming bolsters from bow to stern
- Lighting – LED courtesy lighting throughout cockpit, blue rope lighting
- Lighting – LED courtesy lights in mechanical bilge (4-white), bow seating storage compartments (3-blue), anchor working area (white) and console storage (3-white)
- Livewell – pressurized (60 gallon) located at the transom on centerline with acrylic lid, blue interior with removable divider and dual red LED lighting (2000 GPH pump)
- Motorwell drains
- Rails – low profile interior bow rail – welded stainless steel
- Rails – cockpit toe rails – stainless steel
- Rails – grab rails – stainless steel; forward lounge (2), couch leaning post, cabin companionway
- Rod holders – stainless steel gunnel mounted; at bow (4), STBD cockpit (3), port cockpit (2), integrated into hardtop frame (6)
- Rod holders – stainless steel transom mounted (2)
- Rod holders – under starboard gunnel (3) for 6' rods (deleted with cockpit seating option)
- Rub-rail – heavy duty white rub-rail with stainless steel insert

- Self-bailing cockpit sole
- Swim platform with recessed telescoping boarding ladder and grab rail
- Under gunnel storage shelf with downrigger weight holders (2 per side)

CONSOLE

- Center helm layout
- Compass with back lighting
- Dash visor with custom stitched cover and recessed storage tray with USB and 12V charging receptacles
- Drink holders (2)
- Electrical switch panel with illuminated text
- Electronics mounting surface with space for dual 16" displays
- Footrest molded into console with fold-down standing platform with maintenance free, anti-fatigue synthetic surface, provides improved visibility for captain and starboard passenger
- Ignition switches – remote key switches in main DC panel cabinet with pushbutton start/stop at helm
- Lockable acrylic sliding entry door
- Mercury® DTS dual binnacle controls with integrated engine trim controls
- Steering wheel – cast stainless steel with knob and tilt helm
- Stereo System (JL Audio integration into Simrad® Navigation Package) – Helm: JL Audio MM105-HR stereo with dash mounted remote volume/mute knob, AM/FM/HD Radio, USB audio, and Sirius XM® ready, iPhone®/Android® compatible via integrated Bluetooth® 5.0, JL Audio waterproof speakers (6), 10" Subwoofer (1), and 600W Amplifier (2), CABIN: Stereo JL Audio, MM50 AM/FM, MP3/USB inputs, and Bluetooth compatible source unit, JL Audio speakers 6.5" (2)
- 16" Simrad NSO Evo3s Electronics/Navigation Package - Dash surface (custom black acrylic integrated with switch panels), Simrad NSO evo3S 16" screen (GPS, Chart Plotter, Fishfinder), Active Imaging 3 in 1 Transom Mount Transducer (CHIRP, SideScan, DownScan), Integrated Mercury VesselView® Link and Simrad RS40 VHF Radio with AIS and HS40 wireless handset

SEATING

- Foldaway stern bench seat
- Forward console lounge with fold-down armrests, drink holders (2) center armrest with (2) cup holders and 2 outdoor arm rests (when center is folded down it provides access to dual USB charging ports)
- Forward deck wrap-around seating with flip-up backrests, drink holders (2), stereo remote and fish box pump out switch
- Helm and companion bolster style seats (3) with fold-down armrests (center seat is electrically actuated, side seats have manual fore and aft adjustment)
- Aft facing seating with stainless steel cup holders integrated into the arm rest (2)

STORAGE EXTERIOR

- Bow anchor locker with drains
- Insulated in-floor fishboxes with pump-out; aft (2) forward (1)
- Lifejacket or optional canvas enclosure storage in the hardtop
- Lockable console front storage – holds (2) 5-gallon buckets and one 36 qt cooler (included)
- Storage under bow seating with LED blue lighting
- Under gunnel cockpit storage shelves
- Helm Deck side coaming pockets with storage nets and blue LED Lighting
- Bow side coaming pockets with storage pockets and blue LED lighting
- Insulated storage compartment under aft facing seat with drain and insulated sealed lid (upgradable to livewell option)

STORAGE INTERIOR

- Storage cabinet on port side
- Storage under galley
- Storage in head

HARDTOP/WINDSHIELD SYSTEM

- Flood lights (2) recessed into hardtop lighting cockpit area
- Flood light (1) recessed into hardtop lighting bow area
- Hardtop support frame – custom powder coated aluminum frame integrated into the deck providing unobstructed walkways – White – (Standard) Hardtop frame, Hardtop ladder bars (Upper Station Frame, Hardtop Storage Rack and Canvas Enclosure Options if applicable)
- Black – Hardtop frame, Hardtop ladder bars (Upper Station Frame, Hardtop Storage Rack and Canvas Enclosure Options if applicable)
- Hardtop access; portside ladder to hatch in hardtop
- Lighting; recessed LED courtesy lighting (blue) (6)
- Lighting; recessed 2 color LED courtesy chart light (red and white) (1)
- Lifejacket/Canvas Enclosure storage
- Lockable electronics box in hardtop
- Outtrigger ready
- Rod holders (6)
- Tempered curved glass windshield with electric actuated vent
- Tempered full height side glass
- Windshield defogger integrated into hardtop

COUCH LEANING POST

- Aft facing couch with insulated cooler storage under hinged seat, stainless steel cup holders recessed into seating arms (2) (optional 40-gallon livewell under seat)
- Prep station work surface – easy stow-and-go work surface with teak counter, stainless steel drink holders (4) and poly cutting board
- Grab rails (3)
- Refrigerator/freezer – stainless steel pullout drawer (1.75 cubic feet)
- Storage drawers (3) starboard side drawer system
- Helm and companion bolster style seats (3) with fold-down armrests (center seat is electrically actuated) (side seats have manual fore and aft slides)
- Port side fold-down footrest
- 120 V electrical outlet

CABIN INTERIOR

- Dual USB receptacle, (2) 120 V outlet
- Air conditioner with exterior dash outlets (12K BTU)
- Convertible settee / double berth with easy to clean fabric upholstery
- Fold down seat backs with durable material providing storage conversion surface
- Flooring – solid teak
- Lighting – LED diffused courtesy lights (blue)
- Lighting – LED switchable overhead lights (4) (white)
- Microwave
- Opening portholes (2)
- Skylight and side lights (3)
- Storage cabinets
- Rod storage, (4) 6.5' and (2) 7.5' rods
- Vanity with custom vessel sink
- Trash receptacle

ENCLOSED HEAD

- Fiberglass enclosure with frosted acrylic locking door
- Hinged solid teak toilet cover
- Shower with dedicated wand/sprayer
- Toilet paper holder
- VacuFlush toilet, holding tank with tank vent filter, overboard discharge, and dockside pump-out
- Storage drawers (not compatible with freezer plate option)

MECHANICAL

- 300 V8 DTS Black Triple Mercury Verado® engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality
- 445-gallon aluminum fuel tank
- Bilge pumps – automatic (1100 GPH berth, 2000 GPH bilge)
- Bilge pump – high water bilge pump with visual and audible alarm (2000GPH)
- Battery charger – 40 AMP and 50 AMP @ 12 V multistage smart charging
- Battery trays (5) with remote switches and automatic charging/paralleling relays
- Bonding system for underwater through hull fittings
- Cast bronze thru hull and seacocks (below waterline)
- Cast stainless steel thru hulls (above waterline)
- Cockpit and machinery space lighting
- Electric trim tabs with indicator (dual ram)
- Electric drive trim
- Electric trumpet horn
- Engine fuel/water separators
- Freshwater – pressurized hot and cold-water system with dockside hookup, with tank level indicator integrated into VesselView® with a 60-gallon tank
- Freshwater manifold system with individual valve per circuit
- Freshwater – hot and cold, sink and shower in console, pull-out shower at transom and dive door
- Freshwater washdown – stainless steel spigot in aft cockpit and anchor compartment
- Generator – low CO gas (7.5 kW) 120 V 60 Hz with fire suppression system, automatic with manual override
- LED navigation lights recessed in hardtop
- Propellers – stainless steel
- Raw-water washdown – stainless steel spigot in aft cockpit
- Self-leveling tab system – Dynamic Running Surface
- Shore power inlets – dual 30-amp with isolation transformers and 50 ft shore power cords included
- Transducer pocket in hull bottom for flush mounting B260/B275 transducer
- Water heater (6 gallon)
- Windlass with handheld remote control, 400' rode with anchor swivel, 35 lb anchor integrated into bow with a polished stainless steel bow roller
- Windshield wiper with wash system

NOTABLE OPTIONS/ ACCESSORIES

- 12 V receptacles at transom for electric reels / downriggers (2)
- Air conditioning – helm deck (18K BTU) providing cool air to helm seating area (not intended to cool helm deck area with enclosure up)
- Anchor windlass chain (300 feet) (replaces standard rode)
- Audio Package – premium – includes: additional JL Audio waterproof speakers – exterior; 7.7" helm deck (2), 8.8" bow (2), JL Audio waterproof subwoofer – increases from 10" (500W) to 12" (1000W), additional JL Audio amplifiers (2)

- Batteries – GR31 AGM (factory installed)
- Bow thruster (4kW) 12 V
- Bow tow eye – polished stainless steel
- Commissioning kit – includes: air horn, batteries – Group 31 AGM (5), boat Hook, dock lines (8), tenders (4), fire extinguishers (2), first aid kit, flare kit, life vests (type1 offshore (10) with custom storage bags), spare fuel filters (3), throw cushion, tool kit (basic), water/holding tank supplies
- Dive tank holders (4) in console front storage
- Engine flushing system (automatic) (push button in cockpit to activate timed flush sequencing between engines)(standard on 600 V12 engines)
- Fender Clips – (qty 6)
- Refrigeration plates in fish boxes (port and starboard)
- Refrigeration plates in fish box (starboard)
- Generator (diesel)(12 kW with 20-gallon diesel tank)(replaces low CO gas generator)
- Gyroscopic Stabilizer (Seakeeper) (120 V) (must select diesel generator)
- Lighting – underwater LED (blue) transom mounted (4), side hull mounted in trim tab pockets (2)
- Livewell (not compatible with deluxe and summer kitchen leaning posts or SeaKeeper option) – includes: aft facing couch with insulated livewell/cooler under hinged seat, pressurized livewell (40 gallons) with clear lid, blue interior and red lights, 1,100 GPH pump
- Outriggers – premium outriggers (Gemlux) (stainless steel) (hardtop mounted)
- Rails – black rub-rail with stainless steel insert
- Rails – stainless steel split bow rail (replaces low profile rail)
- Refrigerator/freezer (starboard side of leaning post) (stainless steel drawer) 12 V / 120 V (1.75 cubic feet) (not compatible with Seakeeper Gyro Stabilizer, replaces drawer storage)
- Refrigerator/freezer delete (deletes standard port refrigerator/freezer and replaces it with tackle storage)
- Spotlight
- Sunshade – at bow (black/tan mesh depending on canvas color selection) (manual setup) (attaches to hardtop extending over the bow area to stainless steel poles inserted into rod holders)
- Sunshade at cockpit (black/tan mesh depending on canvas color selection) (electric setup)(attaches to hardtop extending to stainless steel poles inserted into aft rod holders)
- Table – teak bow table with filler cushion and canvas cover (electrically raised and lowered)
- Table – synthetic teak fiberglass bow table with filler cushion and canvas cover (electrically raised and lowered)
- Table – teak aft cockpit tables (2) with dedicated storage on underside of mechanical space hatch
- Table – synthetic teak fiberglass aft cockpit tables (2) with dedicated storage on underside of mechanical space hatch
- Water delivery at manufacturing plant – includes all items from commissioning kit plus 445-gallons of fuel, C-MAP® chart card and GR31 AGM batteries (factory installed)
- Water delivery at manufacturing plant with upper station – includes all items from commissioning kit plus 445-gallons of fuel, C-MAP® chart card and GR31 AGM batteries (factory installed)
- Yacht Tender Package (must be selected if vessel will be towed as a tender) (must select bow tow eye) – includes: ball valves on box thru hulls, clam shells over critical hull side thru hulls, engine covers (3), high water activated strobe light and horn

- Summer kitchen leaning post (replaces couch leaning post) (not compatible with gyro option) – includes: custom helm and companion bolster style seats (3) with fold-down armrests (center seat electrically actuated), concealed bank of drawers and storage, cutting board that closes out sink opening providing a larger counter work surface, drink holders (4), electric stainless steel grill, footrest molded into console (fold-down standing platform with maintenance free, anti-fatigue synthetic surface, providing improved visibility for captain and starboard passenger), freshwater sink (extra-large) with hot and cold water, stainless steel grab rail, port side fold-down footrest, refrigerator/freezer (stainless steel drawer 12 V / 120 V (1.75 cubic feet)), storage drawers (3) (starboard side drawer system), storage lid with storage shelf, paper towel holder and storage nets, 120 V electrical outlet
- Summer kitchen leaning post with gyro (replaces couch leaning post) (not compatible with starboard refrigerator, helm deck A/C and summer kitchen) (must select gyro) – includes everything in the Summer Kitchen Leaning Post, but reduces storage on aft face and deletes starboard side storage drawers

INTERIOR OPTION

- Standard
- Dusk

SEATING

- Couch leaning post with gyro (not compatible with livewell, starboard refrigerator and helm deck A/C options) – includes everything in the standard leaning post, but deletes the fiberglass insulated cooler storage bucket under the seat and replaces it with a non-insulated storage compartment (deletes starboard side storage drawers and is replaced by storage pocket)
- Deluxe leaning post with bait prep center and gyro (not compatible with starboard refrigerator, helm deck A/C and summer kitchen options) (must select gyro) – includes everything in the deluxe leaning post option, but deletes the livewell and starboard storage drawers
- Fiberglass cockpit fold-out bench seat (starboard) (replaces under gunnel rod holders and (1) gunnel rod holder)
- Fold-down trolling seats (2) (replaces port and starboard net storage compartments on helm deck)

TOPS/TOWERS

- Hardtop gelcoat (hardtop underside color matches hull color) (must select hardtop) (options include abaco blue or platinum)
- Upper station with Triple Joystick Piloting (Base Engines or other Triple Packages) electronic steering, joystick control and DTS Electronic Remote Control (ERC), control box and seating canvas cover, (Black/Tan depending on canvas color selection), bimini top material – white or black Stamoid® depending on frame color selection, ladder access to the hardtop, LED lighting - blue (4), powder painted upper station frame (white or black depending on frame color selection), tilt helm with stainless steel steering wheel, upper station control box includes the following: DTS throttle and shift, compass, and drink holders (2), upper station upholstery with backrest and flip up bolsters (“Shore (Tan) or “Sea” (Grey) depending on exterior upholstery selection), VHF antenna extension, Simrad® NSS 12” display (GPS/Chart plotter/Fishfinder), Simrad HS40 VHF wireless handset and SP100 speaker
- Upper station with Quad Joystick Piloting (must select Quad Engine Package) electronic steering, joystick control and DTS Electronic Remote Control (ERC), control box and seating canvas cover, (Black/Tan depending on canvas color selection), bimini top material – white or black Stamoid® depending on frame color selection, ladder access to the hardtop, LED lighting - blue (4), powder painted upper station frame (white or black depending on frame color selection), tilt helm with stainless steel steering wheel, upper station control box includes the following: DTS throttle and shift, compass, and drink holders (2), upper station upholstery with backrest and flip up bolsters (“Shore (Tan) or “Sea” (Grey) depending on exterior upholstery selection), VHF antenna extension, Simrad NSS 12” display (GPS/Chart plotter/Fishfinder), Simrad HS40 VHF wireless handset and SP100 speaker

ENGINES

- 300 V8 DTS White Triple Mercury® Verado® engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality (Raymarine® or other standalone optional autopilot not permitted with Joystick Piloting)
- 300 V8 DTS Black Quad Mercury Verado engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
- 300 V8 DTS White Quad Mercury Verado engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
- 400 V10 DTS Quad Black Mercury Verado Joystick Piloting. Outboard docking system with joystick electronic steering, and electronic remote control (ERC). (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- 400 V10 DTS Quad White Mercury Verado Joystick Piloting. Outboard docking system with joystick, electronic steering, and electronic remote control (ERC). (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- 600 V12 DTS Dual Black Mercury FourStrokes with Joystick Piloting. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
- 600 V12 DTS Dual White Mercury FourStrokes with Joystick Piloting. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)

ELECTRONICS

- 16” Simrad® NSOevo3S™ Additional Display Electronics Package – (not compatible with 19” option), dash surface (custom black acrylic integrated with switch panels and flush mounting of dual displays), Simrad NSOevo3S 16” screen (GPS/Chart Plotter/Fishfinder)
- 19” Simrad NSOevo3S Electronics Navigation Package - (replaces standard 16” display), dash surface (custom black acrylic integrated with switch panels), Simrad NSOevo3S 19” screen (GPS/Chart Plotter/Fishfinder)
- CHIRP Sonar With 3D – Simrad S5100 1 kW Dual channel CHIRP Sounder Module, Airmar 1000 watt recessed thru hull Dual channel CHIRP transducer (B275LH-W), StructureScan 3D transducer included, replaces Active Imaging 3-in-1 transducer
- Radar OpenArray® Bird+ – (not compatible with upper station options), Simrad HALO 3004 130W Pulse Compression Radar with 48” OpenArray Antenna
- Radar OpenArray Bird+ – (compatible with upper station options), Simrad HALO 3003 130W Pulse Compression Radar with 36” OpenArray Antenna
- Satellite weather and radio – (requires monthly subscription), satellite radio Sirius® satellite receiver with antenna, Simrad WM-4 Sirius Marine Weather Receiver
- FLIR thermal night vision with pan, tilt and zoom – (30 Hz) M332 Thermal Camera with pan, tilt and zoom
- Automatic Identification System (AIS) transceiver – Simrad RS40-B VHF Radio with AIS transmitter and receiver, and HS40 wireless handset, Simrad NSPL-500 Antenna Splitter
- Camera – cockpit rear view simrad camera, video camera, Simrad IP CAM-1 (Mounted rearward facing on underside of hardtop)
- Theft deterrent w/ 1st Mate® and remote connectivity system – Dual Engines (WhalerWatch®) (3 Year monitoring included) (Not compatible with triple or quad engine options), WhalerWatch® mobile app, 1st Mate Safety & Security System – anti theft feature immobilizes engines, telematics tracking system with GeoFence notification, remote monitoring and notification of high-water bilge alarm, tank levels, batteries, shore power connections and propulsion system information

- Theft deterrent w/ 1st Mate® and remote connectivity system – triple engines (WhalerWatch®) (3 Year monitoring included) (not compatible with dual or quad engine options), WhalerWatch mobile app, 1st Mate Safety & Security System – anti theft feature immobilizes engines, telematics tracking system with GeoFence notification, remote monitoring and notification of high-water bilge alarm, tank levels, batteries, shore power connections and propulsion system information
- Theft deterrent w/ 1st Mate and remote connectivity system – quad engines (WhalerWatch) (3 Year monitoring included) (Not compatible with dual or triple engine options), WhalerWatch mobile app, 1st Mate Safety & Security System – anti theft feature immobilizes engines, telematics tracking system with GeoFence notification, remote monitoring and notification of high-water bilge alarm, tank levels, batteries, shore power connections and propulsion system information

CANVAS

- Canvas Cover Package (black/tan Sunbrella® depending on canvas color selection) – includes: console cover, forward cushion covers, storage garage covers, helm seat cover, couch seating cover, aft flip-down seat bolster cover, triple engine cover
- Canvas enclosure (Rigid Makrolon® with white or black Stamoid® material depending on frame color selection) – includes hardtop aft curtain, full beam enclosure, hardtop wing curtains with 2 side panels per side providing a full beam enclosure including entrance to console and storage bag: protective mesh bag for enclosure storage
- Canvas mooring cover – includes: full boat mooring cover with lightweight breathable material, attaches to underside of hardtop extending over cockpit and bow area, ratchet strap system secures perimeter below rub rail (not compatible with bow rail option)

EXTERIOR UPHOLSTERY COLOR

- Shore (Tan) (Standard) – all exterior upholstery (based on option selection), console dash tan gel coat
- Sea (Gray) – all exterior upholstery (based on option selection), console dash gray gel coat

COLOR PAINTED HULLS

- Abaco Blue
- Fighting Lady Yellow
- Horizon Blue
- Ice Blue
- Jadestone
- Oyster Gray
- Platinum
- Sand Metallic
- Steel Blue
- Tectonic Silver
- Wasabi

GRAPHICS (CHROME BW LOGO, BOOT STRIPE)

- Black graphics
- Blue graphics
- Red graphics
- Chrome graphics (with silver stripe)
- Silver graphics
- White graphics

COLORED HARDTOP FRAME (MUST SELECT COLOR)

- White (Standard)
- Black

PAINTED ENGINE ACCENTS (CENTER STRIPE) (MUST SELECT COLORED HULL OPTION)

- Painted center stripe of engine cowl to match selected hull color. (Not available on V12 engine options)